

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	((tuner or tuning) same select \$4) and (((bit near error near rate) or ber) same (offset near frequency) same (((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:42
S2	2	((tuner or tuning or tun\$3) same (radio near frequency)) and (((bit near error near rate) or ber) same (offset near frequency) same (((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:45
S3	4	((tuner or tuning or tun\$3) same (radio near frequency)) and (((bit near error near rate) or ber) same (((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value))) and (offset near frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:47
S4	3	((tuner or tuning or tun\$3) same (radio near frequency)) and (((bit near error near rate) or ber) same (((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)) near4 (limit or value))) same offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:48

S5	13	((tuner or tuning or tun\$3) same (radio near frequency)) and (((bit near error near rate) or ber) same ((predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined)))) same offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:52
S6	193	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:56
S7	71	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (retun\$3 or re-tun\$3 or re adj tun\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:59
S8	182	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (@pd< "20030329" or @ad< "20030329" or @prad< "20030329" or @rlad< "20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:16
S9	68	(radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (retun\$3 or re-tun\$3 or re adj tun\$3) and (@pd< "20030329" or @ad< "20030329" or @prad< "20030329" or @rlad< "20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 18:59

S10	1	10/749,473	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/10 19:03
S11	10449	dvb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:15
S12	0	((radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (offset near (frequency or value)) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:17
S13	7	((radio near frequency) and (((bit near error near rate) or ber) same (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:22
S14	59	((radio near frequency) and (((bit near error near rate) or ber) and (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:26

S15	0	((radio near frequency) and (((bit near error near rate) or ber) and (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit\$3 and gsm and dect and wlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:31
S16	0	((radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit\$3 and gsm and dect and wlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:35
S17	0	((radio near frequency) and (((bit near error near rate) or ber) and (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and dvb and satellit\$3 and gsm and dect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:31
S18	13	((radio near frequency) and (((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and gsm and dect and wlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:53
S19	5	((radio near frequency) and (((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and ((lnb or (low near noise near block)) with (down near convert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:54

S20	1	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert\$3) same (multiband or programmabl\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:56
S21	1	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert\$3) same ((multi near band) or programmabl\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 11:57
S22	2	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert\$3) and ((multi near band) or programmabl\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 13:56
S23	2	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert\$3) and (((multi near band) or multiband or multi-band) or programmabl\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 13:56
S24	2	(radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert\$3) and (((multi near band) or multiband or multi-band) or programm\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 13:57

S25	3	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert\$3)) and (((multi near band) or multiband or multi-band) or programm \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:00
S26	5	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert\$3)) and (((multi near band) or multiband or multi-band) or programm \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:00
S27	6	((radio near frequency) and ((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert\$3)) and (((multi near band) or multiband or multi-band) or programm\$4 or controll\$4 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:16
S28	14	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert\$3)) and (((multi near band) or multiband or multi-band) or programm\$4 or controll\$4 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:44

S29	9	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) same (down near convert\$3)) same (((multi near band) or multiband or multi-band) or programm\$4 or controll\$4 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:40
S30	5	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (down near convert\$3)) with (((multi near band) or multiband or multi-band) or programm\$4 or controll\$4 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:41
S31	3	((bit near error near rate) or ber) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329") and (((lnb or (low near noise near block)) with (((multi near band) or multiband or multi-band) or programm\$4 or controll\$4 or control\$4) with frequenc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 15:57
S32	13486	((bit near error near rate) or ber) with limit) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:45
S33	382	((bit near error near rate) or ber) near limit) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:45

S34	33	(((((bit near error near rate) or ber) near limit) with (predefined or predetermined or pre-defined or pre-determined or (pre determined) or (pre defined))) and (@pd<"20030329" or @ad<"20030329" or @prad<"20030329" or @rlad<"20030329"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/09/11 17:46
S35	1	((low near noise near2 convert \$4) same ((intermediate or if) near range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 19:32
S36	54	((low near noise near2 convert \$4) same ((intermediate or if or frequency) near range)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 19:34
S37	6	((low near noise near2 convert \$4) same ((intermediate or if or frequency) near range) and (offset near frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/29 19:35

4/ 30/ 2008 11:28:31 AM

C:\Documents and Settings\hsingh1\My Documents\EAST\Workspaces\10,808,642.wsp